ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025 and EN 15804:2012+A2:2019

ERW Hot Formed Varnished Pipes

EAF Routed Steel

from Borusan Mannesmann



PROGRAMME The International EPD® System www.environdec.com

EPD REGISTIRATION NUMBER S-P-04844 PROGRAMME OPERATOR EPD International AB

PUBLICATION DATE 2022-08-21

EPD Turkey

2027-08-20

VALID UNTIL

LOCAL OPERATOR

THE INTERNATIONAL EPD® SYSTEM

TURKEY EPD



An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at: **environdec.com**



PROGRAMME INFORMATION

Programme Information

Programme	:	The International EPD® System
Address	:	EPD International AB Box 21060 SE
Website	:	www.environdec.com
E-mail	:	info@environdec.com

Information about verification and reference PCR:

CEN standard EN 15804 serves as the Core Product Categ	or
Product category rules (PCR) PCR 2019:14 Construction products (EN 15804:A2) Versior	ר ⁻
PCR review was conducted by The Technical Committee of the International EPD® Syster Review chair: Claudia A. Peña, University of Concepción, C The review panel may be contacted via the Secretariat www	Ch
Independent third-party verification of the declaration and one of the declaration and one of the declaration of the declaratio	
Third party verifier Sunil Kumar SimaPro partners for India & Sri Lanka, SIPL Pvt Ltd	
Procedure for follow-up of data during EPD validity involes Yes N	

LCA Study & EDP Design Conducted by

Semtrio Sustainability Consulting BUDOTEK Teknopark, No 8/27 Umraniye / Istanbul Turkey www.semtrio.com

Borusan Mannesmann has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.



E-100 31 Stockholm, Sweeden

ory Rules (PCR)

1.1

See www.environdec.com/TC for a list of members. hile. .environdec.com/contact.

ata, according to ISO 14025:2006:

D verification

Approved by International EPD System Technical Commiee, supported by the Secretariat

hird party verifier:



COMPANY INFORMATION

Owner of the EPD

Borusan Mannesmann Boru Sanayi ve Ticaret A.Ş. Ata Mh. Sanayi Cd. No: 54/68 16601 Gemlik/Bursa Contact Ahu OLGUN aolgun@borusan.com

The first industrial enterprise of one of Turkey's foremost business conglomerates, the Borusan Group, Borusan Mannesmann marked its 60th anniversary in 2018. Having operated with a global vision since its inception, the company merged its operations with Europe's leading steel and technology firm Salzgitter Mannesmann GMBH in 1998.

Today, Borusan Mannesmann continues its operations as a global brand with 2,038 employees offering more than 4,000 product varieties. Its 7 facilities across 3 continents and high sales volume have placed it on the map as a leading manufacturer in Europe and the world in the steel pipe industry.

Borusan Mannesmann brings its experience, expertise, and passion worldwide with its stateof-the-art pipes addressing all areas ranging from automotive to construction, energy to machinery production. The company continued its investments with a global perspective in accordance with market dynamics and made its first overseas investment in 2001 when it bought the facility in Vobarno and founded Borusan Mannesmann Vobarno Tubi S.p.A. The company then established Borusan Mannesmann Pipe US Inc. in 2014 to manage its Houston Baytown factory investment in the United States. Borusan Mannesmann Pipe US Inc. achieved success soon thanks to its advanced technology and innovative products and won the "Best Pipe Manufacturer" award given by one of the most prestigious publications in the United States, American Metal Market, in 2015, 2017, and 2020.

Having entered among Turkey's pioneering overseas investors with these breakthroughs, Borusan Mannesman both seeks investment opportunities in different countries and aims to boost Turkey's competitiveness.

In addition to its contributions to our country with its exports to various countries in America, Europe, Africa, and Asia, it is also a driving force for the Turkish economy with the development assurance it gives for the coming years.

Having been ranked among Turkey's top 100 industrial enterprises for 50 years, Borusan Mannesmann goes beyond merely manufacturing pipes with its thousands of products, reliable service, quality, and the trails it has blazed in Turkey and the world, and builds Turkey's future. It delivers a sustainable society with its management policies as well as a developed country and a secure future with its large-scale investments.







Production Site


Gemlik Ata Mah. Sanayi Cad. No: 54/68 16601 Gemlik/Bursa



- Slagship of Borusan Group with more than 60 years of pipe manufacturing experience
- [⊗] Workforce of 1,800 people
- Solution ≥ 20 years of Contract Management competency
- Has its own port (Borusan Port) adjacent to the mill, which brings operational flexibility in terms of logistics inbound and outbound
- Sole 24.5 m single seam API/ISO/EN large diameter line pipe producer in Europe
- Operates with 7 mills; 5 in Turkey, 1 in Italy, 1 in USA

Corporate Structure

Borusan Group and Europe's leading steel and technology company; Salzgitter Mannesmann GmbH, merged their welded steel pipe investments in Turkey and named that partnership; "Borusan Mannesmann Boru Yatırım Holding" in 1998. The company has 73% shares of Borusan Mannesmann Boru San. ve Tic. A.Ş.







06

PRODUCT INFORMATION

Product Name

ERW Hot Formed Varnished Pipes

OCTG - Tubing Production Standards & Material

Qualities

- API 5CT certified for threaded and coupled tubing (According to API 5B)
- Full ERW grade range: H40, J55/K55
- Proprietary as rolled 80, 90 grade available ٠

Tests & Certificates

- API 5CT, API 5L •
- Visual and dimensional inspection
- Mechanical Tests: Tensile, Flattening, Expanding •
- Steady scarfing with 100% weldline ultrasonic testing •
- Hydrotesting in place of 100%
- Consistent wall thickness with oversize drift options available
- Reduced tolerances through statistical process control
- Uniform concentricity, roundness, straightness and cylindricity
- Fully normalized weld zones ٠
- NDT Standards: U/S (ASTM E 213 Level 3)
- Suitable for directional drilling and multiple fracturing operations ٠
- Accredited lab tests and third party inpections available (full body and weld line UT, EMI, SEA)

Finishing Operations

- Plain end square cut or high quality API 5B certified threading and coupling •
- Premium and semi-premium threads available •
- High quality threaded compound, couplings and protectors
- Torque controlled coupling application •
- External corrosion prevention with durable and environmentally safe coating ٠

ERW Line Pipes

Tests & Inspections

- Visual and Dimensional Inspection
- Mechanical Tests: Tensile, Flattening, Expanding, Bending Weld Ductility, Fracture Toughness, PP, PE Testing
- Metallographic Examination Purity Analysis
- Chemical Analysis
- Hydrostatic Test
- Mill Test Certificates Acc. to EN 10204 2.1; 2.2; 3.1; 3.2
- CSA Z.245.1

Coating Types & Standards

· Mill protective coating (black varnish) on outside surface

Finishing Operations

- Plain end-square cut
- Bevelled
- Zaplok™
- · Threaded and coupled

Threading

OD: 60,3 - 73,0 - 88,9

Heat Treatment

114.3 mm≤OD≤323.9 mm

ERW Water Pipes

Production Standards & Material Qualities

- Production Norms EN 10224, EN 10255, ISO 65, ASTM A 53, ASTM A 795, ASTM A 589
- Production Standard For Threading and Coupling (1/2"-6") ISO 7/1, ANSI B.1.20.1, EN 10255
- Grooving (3/4"-12") according to Victaulic Standard.
- Medium Series Pipes can be used up to 25 bar operating pressure for water.
- Material Qualities

Tests & Certificates

Visual and Dimensional Inspection

S275, S355, ASTM Gr A, Gr B

- Leak tightness testing: Hydrostatic Test, Eddy Current Test
- Destructive Tests: Flattening, Bending

Non Destructive Inspection: Eddy Current, Ultrasonic Test (Weld Check) Ultrasonic (full body, optional) NDT Standards UT (EN ISO 10893-11 Level U2), ET (EN ISO 10893-2 Level E2), API, EN ISO 3183,

DIN 17100 St 37-2, St 44, St 52, DIN 17100 Superseeded by DIN EN 10250-1, EN 10025 S195, S235,

- Mechanical Tests
- Chemical Analysis
- Metallographic Examination
- Others as required by the standards
- Ultrasonic weld seam test if applicable for gas pipes
- Mill Test Certificates
 Issued upon request according to EN 10204 2.1; 2.2; 3.1; 3.2
- NDT Standards:
 ET (EN ISO 10893-2), ET (ASTM E309)

Finishing Operations

- Plain end (square cut or bevelled)
- Threaded and coupled (Max OD: 168.3 mm)
- Grooved

Sizes

OCTG - Tubing	ERW Line Pipes	ERW Water Pipes			
Outside Diameter	Outside Diameter	Outside Diameter			
20mm - 88.9mm	20mm - 88.9mm	20mm - 88.9mm			
Wall Thickness	Wall Thickness	Wall Thickness			
1.9mm - 10mm	1.9mm - 10mm	1.9mm - 10mm			
Length	Length	Length			
3.00m - 12.8m	3.00m - 12.8m	3.00m - 12.8m			

Technical Specifications

Production Standards	Steel Grades
OCTG - Tubing	
API 5CT	J55, J55N, N80Q, L80, P110,
ERW Line Pipes	
API 5L (PSL 1, PSL 2)	Up to X70
CSA Z 245.1	Up to Gr 359
EN ISO 3183	Up to L485 M, ME
SI 530	Grade B
ERW Water Pipes	
TS EN 10255+A1	S195T
TS EN 10217-1	P195 TR1-TR2, P235 TR1-TF
ASTM A53, ASTM A795	GrA, GrB

FBNAU
32, P265 TR1-TR2

LCA Information

Declared unit

1 tonne (1000kg) of fabricated steel product manufactured in Gemlik facility (TR).

Reference service life

Not applicable

Time representatives

The production data in this LCA study represents the period of 1st January 2021 and 30th September 2021.

Database(s) and LCA software used

Simpro v9.2 and Ecoinvent v3.7.1

Description of system boundaries

Cradle to gate (A1-3) with options, modules C1-C4, module D.

Data quality and data collection

According to EN 15804:2012+A2:2019 specific data was used for module A3 (Processes the manufacturer has influence over) and was gathered from Borusan Mannesmann Gemlik plant. Specific data includes actual product weights, amounts of raw materials used, product content, energy consumption, transport figures, water consumption and amounts of wastes. For A1 and A2 modules, according to EN 15804:2012+A2:2019, generic data was applied and was obtained from Ecoinvent v3.7.1

Allocation

Mass allocation has been applied for preconsumer recycled materials according to EN 15804:2012+A2:2019.

Cut-off rules

Life Cycle Inventory data for a minimum of 99% of total inflows to the three life cycle stages have been included and a cut-off rule of 1% regarding energy, mass and environmental relevance was applied. Impacts caused by treatment operations have been calculated lower than 1% environmental relevance.

Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation


	Pr	oduct Sta	ige	Constr Proces		Use Stage				End of Life Stage				Resource Recovery Stage			
X Declared ND Not Declared	Raw Material Supply	Transport	Manufacturing	Transport from the gate to the site	Assembly	Use	Maintanence	Repair	Replacement	Refurbisment	Operational Energy Use	Operational Water Use	De-construction	Transport	Disposal	Waste Processing	Reuse - Recovery - Recycling Potential
Modules	A1	A2	A3	A4	A5	B1	B2	В3	B4	В5	B6	B7	C1	C2	C3	C4	D
Modules Declared	х	х	х	ND	ND	ND	ND	ND	ND	ND	ND	ND	х	х	х	х	x
Geography	GLO	GLO	TR	-	-	-	-	-	-	-	-	-	GLO	GLO	GLO	GLO	GLO
Specific data used		>99.5%		_	_	-	-	_	-	_	-	_	-	-	-	-	-
Variation- products	N	ot Releva	nt	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Variation-sites	N	ot Releva	nt	_	_	-	_	_	_	_	_	_	_	_	_	_	-

System Diagram

	A1		A2
I I	Hot Rolled Coil Ste	el	Transp
L	Other Raw Material	l I	
 	Coating Material		A 3
			ERW W
	C1 :::	C2	
	De- construction	waste	port to e essing



Resource Recovery Stage



A1 - Raw Materials Supply

This stage takes into account raw material extraction, processing and energy used in the production process.

A2 - Transport to the Manufacturer

This stages include transportation of the raw materials from supplier to factory gate. Transportation types are considered as seaway, road, etc.

A3 - Manufacturing

This stage includes energy and water consumption during the manufacturing process. Additionally, packaging materials are covered by this stage. Followed production processes are as;

- Tape slitting section ٠
- Welding •
- Coating •

C1 - De-construction

The dismantling of steel pipe has a very low impact considering the impact throughout the life of the installation. It is assumed that, in C1 module, same electricity and diesel is consumed as during the construction installation of steel pipe.

C2 - Transport to Waste Processing

An average distance of 100km has been assumed for the transport to recycling facility. Transport is calculated on the basis of a scenario with the parameters described in the table below.

Parameters C2 Module

Transport by road* Lorry >32 metric ton

Distance (km) 100

Database Ecoinvent v3.7.1

*Technology is euro 6

C3 - Waste Processing for Reuse, Recovery and/or Recycling

The material and energy expenses required for Module C3 are negligible. It is assumed that there is no sorting or processing required for steel pipes.

C4 - Final Disposal

100% of used product after the lifetime will be collected and recycled into the manufacturing system. It is assumed that 5% of the product is lost during deconstruction and 95% is reached to recycling system.


D - Reuse, Recovery or Recycling Potential

Scrap inputs to the production stage are substracted from scrap to be recycled at end of life in order to obtain the net scrap output from the product system. This remaining net scrap is then delivered to recycling process. Module D reports the environmental aspects of recycled scrap generated at the end of life minus that used at the production stage.

Information on Which Life Cycle Stages Are Not Considered

This EPD only covers the Cradle to Gate A1-3, C1-4 and D stages because other stages are very dependent on particular scenarios and are better developed for specific building or construction works.

Content Declaration



*The product does not content "Candidate List of Substances of Very High Concern (SVHC)" compounds.



n of 1	of 1000kg of ERW Steel Pipe							
	Share							
	99.0 - 99.9%							
	0%							
	0%							
	0.1 - 1%							

ENVIRONMENTAL PERFORMANCE

Potential Environmental Impact

Mandatory Indicators According to EN 15804


Results for 1000kg of ERW Steel Pipe										
Indicator	Unit A1:A3		C1	C2	C3	C4	D			
GWP-fossil	kg CO2 eq	1261	1.28	8.67	0	0.262	-22.6			
GWP-biogenic	kg CO2 eq	14.2	0.031	0.019	0	8.13E-04	-0.325			
GWP-luluc	kg CO2 eq	2.32	1.65E-03	2.53E-03	0	7.12E-05	-0.044			
GWP-total	kg CO2 eq	1277	1.31	8.70	0	0.263	-23.0			
ODP	kg CFC 11eq	7.98E-05	7.22E-08	2.13E-06	0	1.08E-07	-1.22E-06			
АР	mol H+ eq	5.73	6.19E-03	0.027	0	2.48E-03	-0.166			
EP-Freshwater	kg PO43- eq	0.663	7.86E-04	3.03E-03	0	3.32E-04	-0.016			
EP- Aquatic Freshwater	kg P eq	0.081	9.32E-05	6.50E-05	0	2.76E-06	-1.42E-03			
EP-Marine	kg N eq	1.11	1.28E-03	6.11E-03	0	8.60E-04	-0.033			
EP-Terrestrial	kg N eq	12.3	0.012	0.068	0	9.47E-03	-0.376			
РОСР	kg NMVOC eq	5.17	4.50E-03	0.027	0	2.75E-03	-0.124			
ADP-minerals & metals*	kg Sb eq	4.50E-03	9.24E-06	2.12E-05	0	5.87E-07	-1.04E-04			
ADP-fossil*	MJ	17332	18.9	141	0	7.35	-312			
WDP	m3	619	0.995	0.466	0	0.330	-5.41			

GWP-fossil = Global Warming Potential fossil fuels; **GWP-biogenic** = Global Warming Potential biogenic; **GWP-luluc** = Global Warming Potential land use and land use change; **ODP** = Depletion potential of the stratospheric ozone layer; **AP** = Acidification potential, Accumulated Exceedance; **EP-freshwater** = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; **EP-marine** = Eutrophication potential, fraction of nutrients reaching marine end

compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of

tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.



Potential Environmental Impact

Additional Mandatory and Voluntary Indicators

	Results for 1000kg of ERW Steel Pipe										
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D				
GWP-GHG ¹	kg CO2 eq	1221	1.23	8.59	0	0.258	-21.8				
	Results for 1000kg of ERW Steel Pipe										
РМ	[disease inc]	9.70E-05	3.89E-07	7.57E-07	0	4.84E-08	-1.32E-05				
IRP	[kBq U235 eq]	63.3	0.110	0.620	0	0.030	-1.54				
ET-freshwater	[CTUe]	23441	30.8	108	0	4.62	-805				
HT-cancer	[CTUh]	2.15E-05	3.57E-08	3.31E-09	0	1.38E-10	-1.27E-06				
HT-non-cancer	[CTUh]	3.14E-04	3.17E-08	1.12E-07	0	2.88E-09	-3.19E-07				
SQP	[pt]	4658	4.80	162	0	15.4	-123				

1 The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.


GWP-GHG = Global Warming Potential total excl. biogenic carbon following IPCC AR5 methodology; **IRP** = Ionizing radiation, human health; **ET-freshwater** = Eco-toxicity (freshwater); **HT-cancer** = Human toxicity, cancer effects; **HT-non-cancer** = Human toxicity, non-cancer effects; **SQP** = Potential soil quality index (SQP)

Use of Resources

Results for 1000kg of ERW Steel Pipe											
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D				
PERE	kg CO2 eq	1591	2.22	1.72	0	0.059	-60.3				
PERM	kg CO2 eq	0	0	0	0	0	0				
PERT	kg CO2 eq	1591	2.22	1.72	0	0.059	-60.3				
PENRE	kg CO2 eq	18463	20.0	150	0	7.81	-330				
PENRM	kg CFC 11eq	0	0	0	0	0	0				
PENRT	mol H+ eq	18463	20.0	150	0	7.81	-330				
SM	kg N eq	1047	0	0	0	0	0				
RSF	kg N eq	0	0	0	0	0	0				
NRSF	kg NMVOC eq	0	0	0	0	0	0				
FW	kg Sb eq	105	0.170	0.129	0	0.012	-1.50				

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; **PERM** = Use of renewable primary energy resources used as raw materials; **PERT** = Total use of renewable primary energy resources; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; **PENRM** = Use of non-renewable primary energy resources used as raw materials; **PENRT** = Total use of non-renewable primary energy resources; **SM** = Use of secondary material; **RSF** = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; **FW** = Use of net fresh water





Waste Production

Results for 1000kg of ERW Steel Pipe												
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D					
Hazardous waste disposed	kg	3.30E-03	0	0	0	0	0					
Non-hazardous waste disposed	kg	0.274	0	0	0	0	0					
Radioactive waste disposed	kg	0	0	0	0	0	0					

Output Flows

Results for 1000kg of ERW Steel Pipe							
Indicator	Unit	A1:A3	C1	C2	СЗ	C4	D
Component for re-use	kg	0	0	0	0	0	0
Materials for recycling	kg	72.4	0	0	0	950	0
Materials for energy recycling	kg	7.06	0	0	0	0	0
Exported energy, electricity	MJ	0	0	0	0	0	0
Radioactive waste disposed	MJ	0	0	0	0	0	0



REFERENCES

ISO 14020:2000

Environmental labels and declarations -- General principles

ISO 14040:2006 Environmental management -- Life cycle assessment -- Principles and framework

ISO 14044:2006 Environmental management -- Life cycle assessment -- Requirements and guidelines

ISO 14025:2006 Environmental labels and declarations -- Type III environmental declarations -- Principles and procedures

EN 15804:2012+A2:2019 Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction product

The International EPD® System www.environdec.com The International EPD® System The General Programme Instructions v3.01

The International EPD® System PCR 2029:14 Construction products v1.1 (EN 15804:A2)

Ecoinvent 3.7.1 www.ecoinvent.org

SimaPro LCA Software www.simapro.com

Borusan Mannesmann borusanmannesmann.com

CONTACT

Third party verfier

Sunil Kumar SimaPro partners for India & Sri Lanka +91-9911921666 SIPL Pvt Ltd www.sipl-sustainability.com

Owner of Declaration

Borusan Mannesmann Boru Sanayi ve Ticaret A.Ş. Ata Mh. Sanayi Cd. No: 54/68 16601 Gemlik/Bursa www.borusanmannesmann.com

LCA Study & EDP Design Conducted By

Semtrio Sustainability Consulting BUDOTEK Teknopark, No 8/27 Umraniye/Istanbul Turkey www.semtrio.com







borusanmannesmann.com

Borusan Mannesmann Boru Sanayi ve Ticaret A.Ş. Ata Mh. Sanayi Cd. No: 54/68 16601, Gemlik/Bursa



BORUSAN COMPANY